The Scandinavian Journal of *Clinical & Laboratory Investigation*

EDITED BY
THE SCANDINAVIAN SOCIETY
FOR CLINICAL CHEMISTRY
AND CLINICAL PHYSIOLOGY

MANAGING EDITOR
O. Stokke

EDITORS

J. Hartiala
E. Hultman
M. Hørder
K. Liewendahl
O. Munck
K. O. Pedersen
I. Romslo
K. Rootwelt
U.-H. Stenman
B. Sörbo

EDITORIAL SECRETARY
K. Bjøro

Scand. J. clin. Lab. Invest. – Vol. 48 – 1988

BLACKWELL SCIENTIFIC PUBLICATIONS

Published for

Medisinsk Fysiologisk Forenings Forlag, Oslo by
Blackwell Scientific Publications
Osney Mead, Oxford OX2 0EL
8 John Street, London WC1 2ES
23 Ainslie Place, Edinburgh EH3 6AJ
3 Cambridge Center, Suite 208, Cambridge, MA 02142, USA
677 Lytton Avenue, Palo Alto, CA 94301, USA
107 Barry Street, Carlton, Victoria 3053, Australia

© 1988 Medisinsk Fysiologisk Forenings Forlag, Institute of Clinical Biochemistry, Rikshospitalet, N–0027 Oslo 1.

Printed and bound in Great Britain
by the Devonshire Press, Torquay

Authorization to photocopy for internal or personal use or the internal or personal use of specific clients is granted by Medisinsk Fysiologisk Forenings Forlag for libraries and other users registered with the Copyright Clearance Center (CCC) Transactional Reporting Service, provided that the base fee of $03.00 per copy is paid directly to the CCC, 27 Congress Street, Salem, MA 01970, USA. This consent does not extend to other kinds of copying, such as copying for general distribution, for advertising or promotional purposes, for creating new collective works or for resale. Special requests should be addressed to the Editor.
0036–5513/88 $03.00.

No. 1

Original Articles

A comparison of serum carbohydrate-deficient transferrin with other biological markers of excessive drinking: *H. Gjerde, J. Johnsen, A. Bjørneboe, G.-E. AA. Bjørneboe & J. Mørland* ... 1

Abnormal membrane cation transport in pregnancy-induced hypertension: *I. Testa, R. A. Rabini, G. Danieli, A. L. Tranquilli, N. Cester, C. Romanini, E. Bertoli & L. Mazzanti* ... 7

Time-dependent increase of glomerular filtration rate after oral protein load: evidence for diurnal variations in renal response: *C. Buzio, P. Quaretti, L. Arisi, A. Negro, R. Barani & M. G. Alquati* ... 15

Fatty acid composition in plasma and platelet phospholipid in hypothyroid patients before and after l-thyroxine substitution: *S. Valdemarsson & A. Gustafson* ... 21

Distribution of selenium and glutathione peroxidase in plasma compared in healthy subjects and rheumatoid arthritis patients: *M. Borglund, A. Åkesson & B. Åkesson* ... 27

Diuresis-dependent excretions of low-molecular mass proteins in urine: β_2-microglobulin, lysozyme, and ribonuclease: *K. Jung, M. Pergande, B. Porstmann & T. Porstmann* 33

Amniotic fluid phospholipids and foetal lung maturation: *A. Zapata, J. M. Hernández-García & P. de la Fuente* ... 39

Allopurinol kinetics in humans as a means to assess liver function: evaluation of an allopurinol loading test: *G. van Waeg, L. Lööf, T. Groth & F. Niklasson* ... 45

Enzymatic determination of high density lipoprotein phospholipid using a sensitive reagent and a Cobas Bio Centrifugal Analyzer: *J. S. Moshides* ... 59

A high-performance liquid chromatographic method for determination of hypoxanthine in cord plasma: *Y. Bergqvist, R. Bäck, S. Eckerbom, K. Hallman & S. Nilsson* ... 65

Low-dose intravenous glucagon has no effect on myocardial contractility in normal man. An echocardiographic study: *L. Thuesen, J. S. Christiansen, K. E. Sørensen, H. Ørskov & P. Henningsen* ... 71

IgG subclass concentrations in sera from 200 normal adults and IgG subclass determination of 106 myeloma proteins: an interlaboratory study: *R. Djurup, B. Mansa, I. Søndergaard & B. Weeke* ... 77

Prediction of glomerular filtration rate from changes in serum creatinine: *B. Trollfors, K. Alestig & R. Jagenburg* ... 85

Laser Doppler Velocimetry of fingertips during heat provocation in normals and in patients with Raynaud's phenomenon: *H. Wollersheim, J. Reyenga & Th. Thien* ... 91

Evidence against α-hydroxyphytanic acid as an intermediate in the metabolism of phytanic acid: *O. H. Skjeldal & O. Stokke* ... 97

List of Referees for 1987 ... 103

No. 2

Original Articles

Comparisons between two receptor assays for 1,25-dihydroxyvitamin D: *D. Hartwell & C. Christiansen* ... 109

Ionized calcium and acid-base status in arterial and venous whole blood during general anaesthesia: *J. Wandrup, C. Kancir & P. Hyltoft Petersen* ... 115

Haematological changes during parenteral nutrition of malnourished patients with an enteral disease: *I. Tulikoura & K. Huikuri* ... 123

Direct radio-immunoassay of renin substrate: effect of converting enzyme inhibition: *K. Metsärinne, K. Rosenlöf, C. Grönhagen-Riska & F. Fyhrquist* ... 131

Sensitive assay for thyroglobin autoantibodies in serum employing polyethylene glycol for precipitation: *P. Laurberg & K. M. Pedersen* 137
Increased atrial natriuretic peptide in the nephrotic syndrome. Relationship to the renal function and the renin-angiotensin-aldosterone system: *E. B. Pedersen, H. Danielsen, H. Eiskjaer, B. Jespersen & S. S. Sørensen* 141
Interstial fluid colloid osmotic pressure of the subcutaneous tissue in controls and patients before and after open-heart surgery: a comparison between the wick technique and the blister suction technique: *K. A. Rein, H. O. Myhre & K. Semb* 149
Evaluation of a radioreceptor assay for TSH receptor autoantibodies: *K. Rootwelt* 157
Cell association and degradation of pregnancy zone protein–chymotrypsin complex in cultured human monocytes: *P. H. Jensen, O. Davidsen, J. Gliemann & C. M. Petersen* 165
Asymptomatic hyperbromidaemia detected as pseudohyperchloridaemia measured with an ion selective electrode meter: *Y. Nagamine, Y. Hamai, K. Chikamori, T. Kita, M. Hirota, I. Oshima, S. Yamashita & K. Shima* 177
Age and sex differences in cardiovascular reactivity to adrenergic agonists, mental stress and isometric exercise in normal subjects: *S. R. Johansson & Å. Hjalmarson* 183
Effort of ileal exclusion on lipoprotein sitosterol in familial hypercholesterolaemia: *P. V. I. Koivisto & T. A. Miettinen* 193
Apolipoprotein E in hepatocellular liver disease: *C.-H. Florén* 199
Influence of plasma protease inhibitors and the secretory leucocyte protease inhibitor on leucocyte elastase-induced consumption of selected plasma proteins *in vitro* in man: *P. Björk, L. Axelsson, M. Bergenfeldt & K. Ohlsson* 205

Letter to the Editor

Determination of α-amylase activity—why isn't the saccharogenic method appreciated? *A. Brock* 213

No. 3

Original Articles

Folic acid—an innocuous means to reduce plasma homocysteine: *L. E. Brattström, B. Israelsson, J.-O. Jeppsson & B. L. Hultberg* 215
A sensitive method to detect synthesis of the functional classical, alternative and terminal pathway of complement by cells cultured *in vitro: E. Johnson & G. Hetland* 223
In vivo production of thromboxane and prostacyclin in patients following total hip arthroplasty: *O. Vesterqvist, U. Schött, O. Berséus, K. Axelsson & K. Gréen* 233
Lipoprotein-bound bile acids in serum from healthy men, postprandially and during fasting: *G. Hedenborg, A. Norman & A. Ritzén* 241
Contrast media as markers for glomerular filtration: a pharmacokinetic comparison of four agents: *S.-E. Bäck, E. Krutzén & P. Nilsson-Ehle* 247
Age-related reference values for ionized calcium in the first week of life in premature and full-term neonates: *J. Wandrup, J. Kroner, O. Pryds & K. W. Kastrup* 255
Erythropoietic protoporphyria: a quantitative determination of erythrocyte protoporphyrin in individual cells by flow cytometry: *A. Brun, H. B. Steen & S. Sandberg* 261
Human salivary epidermal growth factor, haptocorrin and amylase before and after prolonged exercise: *E. Nexø, M. R. Hanson & L. Konradsen* 269
Increased myocardial contractility during intravenous insulin infusion in Type 1 (insulin-dependent) diabetic patients: an echocardiographic study: *L. Thuesen, J. S. Christiansen, O. Schmitz, N. J. Christensen, H. Ørskov & P. Henningsen* 275

Effects of fasting and glucose–insulin–potassium on glycogen contents in heart, skeletal muscle and liver: *O. Reikerås, K. Nordstrand & T. Henden* 285
The selenium-deficient rat heart with special reference to tolerance against enzymatically generated oxygen radicals: *K. Ytrehus, J. Ringstad, R. Myklebust, G. Norheim & O. D. Mjøs* 289

Letters to the Editor

Selling rubber band by the metre: The price of specific antibodies: *J. Møller* 297
Kits for the quantitative assay of chorionic gonadotrophin: *A. Aakvaag, E. Leskinen, G. Lindstedt, J. Møller, A. Nyberg & T. Weber* 299

No. 4

Original Articles

Lysophosphatidylcholine and the inflammatory action of neutrophils: *M. Lindahl, R. Bruhn & C. Tagesson* 303
Studies of serum lipids in hypercholesterolaemic rabbits treated with doxazosin: *T. P. Leren & K. Berg* 313
Serum bilirubin subfractions in patients with alcohol abuse during detoxication: *A. Ahlgren, G. Hedenborg, A. Norman & O. Wisén* 319
HLA-antigens and immunity to insulin in insulin-dependent diabetics with or without diabetic neuropathy: *T. Scheinin, E. Matikainen, L. Groop, M. Lepäntalo, S. Koskimies & S. Kontiainen* 327
Silent hepatitis-B immunization in laboratory technicians: *J. Ingerslev, E. Mortensen, K. Rasmussen, J. Jørgensen & P. Skinhøj* 333
The effect of red cells on platelet aggregation: a study with the electronic whole blood aggregometer: *C. L. Balduini, G. Bertolino, P. Noris & E. Ascari* 337
GFR-corrected 24-hour whole body retention of diphosphonate: an improved index of bone metabolism: *L. Hyldstrup, P. McNair & I. Transbøl* 341
Increased atrial natriuretic peptide in an early stage of chronic glomerulonephritis: *S. S. Sørensen, H. Danielsen & E. B. Pedersen* 347
Propranolol attenuates exercise-induced increment in human lymphocytic β-adrenergic receptors: *T. Mäki, H. Näveri, M. Härkönen & K. Kontula* 357
Evaluation of several creatinine methods in search of a suitable secondary reference method: report from the subcommittee on reference method for creatinine, Nordic Society for Clinical Chemistry: *K. S. Bjerve, J. Egense, L.-M. Lampinen & P. Masson* 365

Letters to the Editor

Is accuracy of clinical chemical routine analyses increasing?: *B. Lindbäck, E. Ullsten & I. Björkenhem* 375
Increased basement membrane heparan sulphate proteoglycan in serum of diabetic rats: *M. Paulsson, R. Timpl, D. Brocks & H. Neubauer* 379

No. 5

Invited Reviews

Effects of unsaturated fatty acids on cell membrane functions: *T.-A. Hagve* 381
Lanthanides as probes for time-resolved fluorometric immunoassayš: *I. Hemmilä* 389

Limited Review

Measurements of the *in vivo* synthesis of thromboxane and prostacyclin in humans: *O. Vesterqvist* 401

Original Articles

Effect of blood sampling site on measurements of bilirubin–albumin binding: *K. H. Chance, C. E. Ahlfors & B. W. Goetzman* 409
Quiescent fibroblasts in a cellular model system: *S. R. Kristensen & P. H. Petersen* 413
Catecholamine binding and concentrations in acute phase plasma after surgery: *G. Sager, T. Trovik, L. Slørdal, R. Jæger, P. S. Prytz, J. Brox & O. Reikerås* 419
Reduced C_2-steroid 26-hydroxylase activity in heterozygotes for cerebrotendinous xanthomatosis: *S. Skrede, I. Björkhem, E. A. Kvittingen, C. East, S. Grundy & S. Skrede* 425
Atrial content and plasma levels of atrial natriuretic peptides in rats with chronic renal failure: *J. S. Petersen, O. M. Bech, E. Steiness, D. Kirstein, N. Korsgaard, U. Baandrup & S. Christensen* 431
Effect of venous stasis and physical exercise on plasma extracellular-superoxide dismutase: *S. Nilsson & S. L. Marklund* 441
Hyposmolar entrapping of a spin label into aged red cells: *C. Lagercrantz, T. Larsson, L. Tollsten & P.-Å. Jovall* 445
The renin–angiotensin system and kidney function during initial insulin treatment in diabetic man: *J. S. Christiansen, J. Giese, M. Damjær & H.-H. Parving* 451
Contribution of the trabecular component to mechanical strength and bone mineral content of the femoral neck. An experimental study on cadaver bones: *C. Werner, B. F. Iversen & M. H. Therkildsen* 457
Transient hyperkalaemia immediately after acute haemorrhage in rats: *L. F. O. Obika* ... 461
Antithrombin III and protein C in stable angina pectoris—influence of dietary supplementation with polyunsaturated fatty acids: *E. B. Schmidt, S. D. Kristensen, P. J. Sørensen & J. Dyerberg* 469
Effect of electrode temperature on orthostatic changes in forefoot transcutaneous oxygen tension (tc-PO_2): *J. Aabech, F. B. Jensen, N. P. Utzon, J. H. Eickhoff & W. P. Paaske* 475
Plasma cholesterol esterification rate in hyperlipoproteinaemia: relation to cholesterol elimination: *B. Angelin, K. Einarsson, B. Leijd & L. Wallentin* 481

No. 6

Original Articles

Assessment of calcaemic status in geriatric hospital patients: serum ionized calcium versus albumin-adjusted total calcium: *A. Sorva, S Elfving, P. Pohja & R. S. Tilvis* 489
Trace element alterations in infectious diseases: *U. Srinivas, J. H. Braconier, B. Jeppsson, M. Abdulla, B. Åkesson & P. A. Öckerman* 495
Evaluation of bile acid malabsorption by plasma cholesterol precursor sterols in familial hypercholesterolaemia patients with and without ileal exclusion: *P. V. I. Koivisto & T. A. Miettinen* 501
The influence of body posture on lithium clearance: *A.-L. Kamper, S. Strandgaard, N.-H. Holstein-Rathlou, O. Munck & P. P. Leyssac* 509
Development of a direct [^{125}I]radioimmunoassay for serum levels of 17-hydroxyprogesterone: *B. A. El-Gamal, L. A. Perry & J. Landon* 513

The influence of epidermal thickness on transcutaneous oxygen pressure measurements in normal persons: *N. Falstie-Jensen, E. Spaun, J. Brøchner-Mortensen & S. Falstie-Jensen* ... 519
Effect of different doses of s-adenosyl-L-methionine (SAMe) on nicotinic acid-induced hyperbilirubinaemia in Gilbert's syndrome: *S. Gentile, M. Persico, C. Orlando, C. Le Grazie, C. Di Padova & M. Coltorti* ... 525
Assessment of effects of amino acids and branched chain keto acids on leucine oxidation in human lymphocytes: *G. Schäfer & P. Schauder* ... 531
EDTA-dependent pseudothrombocytopaenia: a 12-month epidemiological study: *A. Vicari, G. Banfi & P. A. Bonini* ... 537
Bile constituents in ascitic fluid: *G. Hedenborg, G. Jönsson, A. Norman & O. Wisén* ... 543
Lipoprotein-deficient serum stimulates the uptake of chylomicron remnants in cultured rat hepatocytes: *E. Jensen, C.-H. Florén & Å. Nilsson* ... 553
The effect of body build, diet and endocrine factors on the extrinsic fibrinolytic system in healthy young women: *I. B. Sundell, T. K. Nilsson, G. Hallmans & C. Nygren* ... 557
Effect of cooling on the intracellular concentrations of Na^+, K^+ and Cl^- in cultured human endothelial cells: *T. Larsen, S. Solberg, R. Johansen & L. Jørgensen* ... 565
Production, characterization and use of monoclonal antibodies against the major extracellular human cysteine proteinase inhibitors cystatin C and kininogen: *I. Olafsson, H. Löfberg, M. Abrahamson & A. Grubb* ... 573
Human gastric lipase. Effects of fatty acid and bovine serum albumin on *in vitro* activity: *S. Kaminsky, L. J. Smith & S. W. D'Souza* ... 583
Measurements on the forward light scattering intensities of monodisperse latex particles and sphered or unsphered red blood cells: *P. C. Bartels, A. F. M. Roijers & J. B. J. Soons* ... 589
Application of a biokinetic model for prediction and assessment of glycated haemoglobins in diabetic patients: *H. B. Mortensen & Aa. Vølund* ... 595

No. 7

Original Articles

Stability, protein binding and clearance studies of [^{99m}Tc]DTPA. Evaluation of a commercially available dry-kit: *M. Rehling* ... 603
Non-invasive evaluation of bone formation: measurements of serum alkaline phosphatase, whole body retention of diphosphonate and serum osteocalcin in metabolic bone disorders and thyroid disease: *L. Hyldstrup, I. Clemmensen, B. A. Jensen & I. Transbøl* ... 611
Laser Doppler flowmetry in evaluation of lower limb resting skin circulation. A study in healthy controls and atherosclerotic patients: *K. Kvernebo, C. E. Slagsvold, E. Stranden, A. Kroese & S. Larsen* ... 621
Evidence for potentiation of lipid peroxidation in the rat liver after chronic ethanol feeding: *S. Yamada, K. Fujiwara, N. Masaki, Y. Ohta, Y. Sato & H. Oka* ... 627
Mucins obtained from patients with enterocutaneous urinary diversions: *S. Mårtensson, A. Lundblad, G. C. Hansson & I. Carlstedt* ... 633
Effect of nicotinic acid administration on serum levels of bilirubin and iron in patients with porphyria cutanea tarda: *S. Gentile, F. Ayala, C. Orlando, P. Santoianni & G. Budillon* ... 641
LI, a major granulocyte protein: antigenic properties of its subunits: *H. B. Berntzen & M. K. Fagerhol* ... 647
Cancer-associated antigen CA 15-3 in the diagnostics of breast tumours: *M. Eskelinen, S. Tikanoja, E. Valkamo, M. Loikkanen & Y. Collan* ... 653

Effects of dietary fish oil on malondialdehyde production and glutathione peroxidase activity in hyperlipidaemic patients: *O. Olivieri, M. Negri, M. de Gironcoli, A. Bassi, P. Guarini, A. M. Stanzial, L. Grigolini, S. Ferrari & R. Corrocher* 659
Short chain fatty acids in inflammatory bowel disease. The effect of bacterial fermentation of blood: *K. Holtug, H. S. Rasmussen & P. B. Mortensen* 667
Intravenous ^{133}Xe clearance in preterm neonates with respiratory distress. Internal validation of CBF as a measure of global cerebral blood flow: *G. Greisen & O. Pryds* 673
Low-dose dopamine infusion, renal haemodynamics and urinary albumin excretion rate in insulin-dependent diabetics and in normal man: *J. S. Christiansen, M. M. Pedersen, A. Schmitz, C. K. Christensen, T. Christensen & C. E. Mogensen* 679
Human hepatocytes in culture synthesize and secrete fibronectin: *B. S. Christiansen, J. Ingerslev, L. Heickendorff & C. M. Petersen* 685
Cerebral electrical impedance: do indices derived from it provide information on cerebral blood flow in the neonate?: *P. Colditz, O. Pryds, G. Greisen, D. Murphy, P. Rolfe & A. R. Wilkinson* 691
Screening for thalassaemia using the width of the Technicon H6000/H601® erythrocyte size histograms: *P. W. Helleman, P. C. Bartels & G. D. van Wavern Hogervorst* 697
Reduced angiotensin II induced vascular reactivity in chronic renal failure: *B. Jespersen, E. B. Pedersen, N. J. Christensen, H. Danielsen & S. S. Sørensen* 705
Regulation of plasma plant sterol levels in patients with gut resections: *M. A. Färkkilä, R. S. Tilvis & T. A. Miettinen* 715

Technical Note

A comparison between haematological parameters in 'capillary' and venous blood from healthy adults: *L. N. W. Daae, S. Halvorsen, P. M. Mathisen & K. Mironska* 723

No. 8

Original Articles

Elevated levels of plasma hyaluronan in septicaemia: *S. Berg, B. Brodin, F. Hesselvik, T. C. Laurent & R. Maller* 727
Deviation of a single observation from the hypothetical true value. Guidelines for computing the magnitude of misclassification of risk individuals due to this deviation: *E. Funnemark & Tretli* 733
A pharmacological dose of glucagon suppresses gastric emptying of a radiolabelled solid meal in humans: *G. Jonderko, T. Gołąb & K. Jonderko* 743
Metabolic clearance and production of diiodotyrosine in healthy man: *J. Faber, C. Kirkegaard, H. Meinhold & C. Bregengaard* 747
CA-50 in patients with pancreatic disease—an evaluation of three different laboratory techniques: *P. Masson, B. Pålsson & Å. Andren-Sandberg* 751
Analytical goals for the acceptance of common reference intervals for laboratories throughout a geographical area: *E. M. S. Gowans, P. Hyltoft Petersen, O. Blaabjerg & M. Hørder* 757
The diurnal variation of serum hyaluronan in health and disease: *U. Lindqvist, A. Engström-Laurent, U Laurent, A. Nyberg, U. Björklund, H. Eriksson, R. Pettersson & A. Tengblad* 765
The beta-cell response to glucagon and mixed meal stimulation in non-insulin dependent diabetes: *H. J. Gjessing, E. M. Damsgaard, L. E. Matzen, O. K. Faber & A. Frøland* 771

Rapid and inexpensive microdetermination of serum fructosamine results in diabetics, uraemics, diabetics with uraemia and healthy subjects: *N. Boye & J. Ingerslev* 779
Redistribution of peripheral blood flow during acute left ventricular failure in the dog: *C. Hall, L. Mørkrid & J. Kjekshus* 785
Thyroid hormone resistance in blood monocyte cells and elevated serum T_3 in patients with autosomal dominant osteopetrosis: *J. Bollerslev & J. Kvetny* 795
Variations in blood constituents of healthy full term infants as related to body weight in the new-born period: *H. B. Mortensen & C. Schou* 801
Serum zinc and copper concentrations in maternal and umbilical cord blood. Relation to course and outcome of pregnancy: *S. Bro, H. Berendsten, J. Nørgaard, A. Høst & P. J. Jørgensen* 805
Mechanisms for the serum lipid-lowering effect of n-3 fatty acids: *F.-A. Hagve & B. O. Christophersen* 813
Transport of serum bile acids in patients with liver cirrhosis and hyperbilirubinaemia: *G. Hedenborg, A. Norman & O. Wisén* 817
A simple chemical method for the quantification of the contrast agent iohexol, applicable to glomerular filtration rate measurements: *S.-E. Bäck, P. Masson & P. Nilsson-Ehle* ... 825
The specific binding of thrombin to human polymorphonuclear leucocytes: *O. Sonne* ... 831